Saskatchewan
Ministry of
Agriculture

Crop Report

Crop Report for the Period Sept 28 to Oct 4, 2010

Published by the Ministry of Agriculture
ISSN 0701 7085
Report number 27, October 7, 2010

Another week of warm and sunny weather has allowed Saskatchewan producers to make significant harvest progress. Sixty per cent of 2010 crop has been combined, according to Saskatchewan Agriculture's weekly Crop Report. This is an increase of 31 per cent over last week.

An additional 30 per cent is swathed or ready to straight-combine. The five-year provincial average (2005 to 2009) for this time of year is 85 per cent combined.

Saskatchewan Harvest % combined this week (Oct 4, 2010)	
Winter wheat	96
Fall rye	96
Spring wheat	51
Durum	45
Oats*	40
Barley	59
Flax	18
Canola	67
Mustard	69
Sunflowers	0
Lentils	74
Peas**	95
Canary seed	16
Chickpeas	21
Total	60

*includes three per cent 'other'
**includes four per cent 'other'

The southwest has 66 per cent of the crop combined, the southeast 62 per cent, the northeast 68 per cent and the northwest 57 per cent. The east-central and west-central regions have 61 per cent and 47 per cent combined, respectively.

The majority of crop damage is a result of the rain and frost from the past couple of weeks. Lodging, flooding, bleaching and sprouting are causing crop damage as well. Cranes and geese are feeding on crops.
Fields are still very wet, making harvest difficult. The past couple of weeks of good weather has producers bringing in the crop as quickly as they can.

One year ago
Seventy-six per cent of the 2009 crop had been combined. Wet weather delayed harvest progress. October proved to be a difficult month for harvest.

Southeastern Saskatchewan (Crop Districts 1, 2, and 3ASE)

Warm, sunny and windy weather allowed for good harvest progress. Only trace amounts of rain fell in a few areas in the region during the week.

Producers were able to take in an additional 31 per cent of harvest and, as of this week, have 62 per cent of the crop combined. Another 26 per cent is swathed or ready to straight-combine. Last year at this time, the region had 84 per cent combined.

For further information, contact: Grant McLean, PAg,
Cropping Management Specialist, Agriculture Knowledge Centre,
Toll Free: 1-866-457-2377, E-mail: cropreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at www.agriculture.gov.sk.ca.

Agriculture and Agri-Food Canada | Agriculture et Agroalimentaire Canada

SCIC
SASKATCHEWAN CROP INSURANCE CORPORATION

Crop districts (CD) 1A and 2A have 65 per cent combined; CD 1B, 63 per cent; CD 2B, 54 per cent; and CD 3ASE has 82 per cent combined.

Crop reporters in the region are indicating the following grades for spring wheat that has been harvested: nine per cent 1CW, 28 per cent 2 CW, 34 per cent 3CW and 29 per cent CW Feed.

The majority of crop damage is caused by excess moisture and frost on the less-mature crops. Due to the rain, sprouting, bleaching and staining is causing crop damage.

The warm and windy weather is drying fields, although caution in the field is still needed as there are many wet areas. Grain trucks are being left at the edge of the field or on the road to avoid getting stuck. A strong wind for a couple days scattered some swaths. Many producers were able to get started early in the day due to the wind drying crops down. Most of the crops harvested this week were put into storage dry.

Southwestern Saskatchewan (Crop Districts 3ASW, 3AN, 3B and 4)

Most of the region received no rain for the week. A few areas recorded some light showers early in the week which amounted to no more than 2 mm.

Producers got an extra 30 per cent of the crop combined last week. The region now has 66 per cent of the 2010 crop combined. An additional 20 per cent is swathed or ready to straight-combine. Last year at this time, 94 per cent of the crop had been combined. Crop districts 3ASW and 3AN have 66 per cent combined, CD 3BN 65 per cent; CD 3BS, 70 per cent; CD 4A, 62 per cent; and CD 4B, 72 per cent.

Crop reporters in the region are indicating the following grades for spring wheat that has been harvested: 15 per cent 1CW, 41 per cent 2 CW, 37 per cent 3CW and seven per cent CW Feed.

The rain that fell on mature crops in September is the cause of the majority of the crop damage. Frost damage did occur on those crops that were less mature. The excess moisture has caused bleaching, sprouting, lodging and staining of crops.

Crop reporters are indicating yields and crop grades are quite variable. The wet weather and frost in September have downgraded many crops. The strong wind during the weekend caused some neck-break in ripe barley fields. Producers are hauling bales in the morning while waiting for the crop to dry down. Some producers in the region have finished harvest and some will finish by the weekend. Winter wheat is being seeded. As crops are combined, producers are indicating the frost has affected quality more than originally thought. Producers are taking full advantage of the nice weather to get fall work done.

East-Central Saskatchewan (Crop Districts 5 and 6a)

The week was warm, sunny and windy with only trace amounts of rain recorded in a few areas in the region.

Producers were able to get another 32 per cent of the crop harvested this week, and the region now has 61 per cent of the 2010 harvest complete. An additional 33 per cent is swathed or ready to straight-combine. Last year at this time, 70 per cent of the crop had been combined. Crop District 5A has 56 per cent combined; CD 5B, 59 per cent; and CD 6A, 66 per cent.

Crop reporters in the region are indicating the following grades for spring wheat that has been harvested: two per cent 1CW, 31 per cent 2 CW, 41 per cent 3CW and 26 per cent CW Feed.

Bleaching, sprouting, staining and lodging are the main causes of crop damage thanks to the rain in September. Frost damage is also being assessed as crops are combined. Geese and cranes are causing crop damage.

Producers are happy have a good stretch of harvest weather. Fields are still quite wet, but the warm and windy weather is helping to dry things up. Crops combined during the past week were put into the bin dry. Crop reporters have indicated low-lying areas in fields are being left for now due to wet conditions. If the drying weather continues, these areas may get combined at a later date. Field access is still difficult as roads are very soft. Some fields are still not able to support equipment at this time. Some farmers have finished harvest due to low seeded acres. Winter wheat is emerging. Crop reporters are indicating the wet weather and frost have downgraded crops. Crop yields are quite variable. A couple weeks of good weather is needed to dry the ground and harvest the majority of the crop.

West-Central Saskatchewan (Crop Districts 6B and 7)

Great harvest weather during the past week allowed for combines to continue rolling in the fields. Only trace amounts of rain were reported in a few areas in the region.

Another 27 per cent of the crop is in the bin, bringing the region to 47 per cent combined. An additional 39 per cent is swathed or ready to straight-cut. Last year at this time, 74 per cent of the crop had been combined. Crop District 6B has 61 per cent combined; CD 7A, 45 per cent; and CD 7B, 53 per cent.
Crop reporters in the region are indicating the following grades for spring wheat that has been harvested: 10 per cent 1CW, 35 per cent 2 CW, 40 per cent 3CW and 15 per cent CW Feed.

The majority of crop damage is due to the excess moisture and frost. The moisture in September downgraded crops, and caused mould, flooding, lodging, sprouting and bleaching. Ergot was reported in a few areas. Geese and cranes are causing crop

damage. The wind scattered some canola and lentil swaths. Crop yields and quality are variable through out the region.

Harvest is in full swing. A couple of weeks of the warm weather are needed to get the majority of the crop in the bin. Combines are getting stuck, but there is some drying of fields. Farmers are hauling bales in the morning and servicing equipment while waiting for the crop to dry down. Producers are taking full advantage of the nice weather to get harvest and fall work completed.

Northeastern Saskatchewan (Crop Districts 8 and 9AE)

The week was warm and sunny for the most part. A few areas received showers that produced as much as 7 mm of rain. Other areas received no rain.

The region has 68 per cent of the crop combined, a significant increase over last week's 32 per cent. An additional 26 per cent is swathed or ready to straight-combine. Last year at this time, the region had 62 per cent of the 2009 crop combined. Crop District 8A has 71 per cent of the crop combined, CD 8B 69 per cent and CD 9AE 57 per cent combined.

Crop reporters in the region are indicating the following grades for spring wheat that has been harvested: 12 per cent 1CW, 41 per cent 2 CW, 30 per cent 3CW and 17 per cent CW Feed.

Crop damage is due to frost and the excess moisture during the growing season. Excess moisture is causing flooding, disease, lodging, sprouting and bleaching.

Sunny and warm weather allowed for great harvest progress. Crops are slow to dry down. Some cereals and canola are being combined tough. Wet field conditions are making harvest difficult and combines need to go slowly. There have been some reports of fusarium in wheat. Aeration fans and grain dryers are in use. There are still some late-seeded crops in the region that need a few more days before they are mature enough to harvest. Farmers are hoping for a couple more weeks of decent harvesting weather.

Northwestern Saskatchewan (Crop Districts 9AW and 9B)

Sunny and warm weather allowed combines to continue to roll. Very little rain was recorded in the region for the week. A few spotty showers shut some combines down for a while. The Spiritwood area received 15 mm of rain, the Lloydminster area received 4 mm and the Meadow Lake area received 5 mm.

The northwest has 57 per cent of the 2010 crop combined. Good weather allowed producers to get an additional 32 per cent of the crop combined. Thirty-eight per cent of the crop is swathed or ready to straight-combine. Last year at this time, 62 per cent of

the crop was off the field. Crop District 9AW has 56 per cent of the crop combined and CD 9B has 57 per cent of the crop combined.

Crop reporters in the region are indicating the following grades for spring wheat that has been harvested: 14 per cent 1CW, 46 per cent 2 CW, 33 per cent 3CW and seven per cent CW Feed.

Rain and frost have caused the majority of crop damage. Excess rain has caused flooding, lodging, sprouting and bleaching of crops.

Most crops are going into the bin dry. Grain dryers and aeration fans are running for the crops harvested last week. Combines are getting stuck and grain trucks and carts have to be careful where they travel in the field. Although quality is not the best, most producers seem to be happy with their yields. Warm and sunny weather is needed for a couple of weeks to finish the 2010 harvest.

Saskatchewan Harvest Progress October 4, 2010

Winter Wheat	% Standing	% in swath	% ready to straight combine	% combined
SE	0	0	1	99
SW	0	0	1	99
EC	1	1	4	94
WC	2	0	0	98
NE	N/A	N/A	N/A	N/A
NW	0	10	10	80

Spring Wheat	% Standing	% in swath	% ready to straight combine	% combined
SE	13	22	13	52
SW	19	6	22	53
EC	9	18	23	50
WC	17	21	26	36
NE	6	11	14	69
NW	4	15	25	56

Durum	% Standing	% in swath	% ready to straight combine	% combined
SE	12	14	23	51
SW	15	5	27	53
EC	2	10	40	48
WC	25	31	29	15
NE	N/A	N/A	N/A	N/A
NW	N/A	N/A	N/A	N/A

Oats	% Standing	% in swath	% ready to straight combine	% combined
SE*	25	20	5	50
SW*	21	13	20	46
EC	20	35	11	34
WC	23	39	8	30
NE	18	16	13	53
NW*	27	30	14	29

*rated as other - SE 3 per cent, SW 8 per cent, WC 2 per cent, NW 5 percent

Barley	% Standing	% in swath	% ready to straight combine	% combined
SE	12	13	11	64
SW*	10	4	21	65
EC	7	17	14	62
WC	14	14	24	48
NE	12	6	9	73
NW	9	30	15	46
*rated as 'other'- two per cent				

Lentils	% Standing	% in swath	% ready to straight combine	% combined
SE	6	12	6	76
SW	4	5	3	88
EC	0	0	20	80
WC	8	9	24	59
NE*	0	8	10	82
NW	N/A	N/A	N/A	N/A
*rated as 'other' - two per cent				

Peas	% Standing	% in swath	% ready to straight combine	% combined
SE	2	2	3	93
SE	1	0	1	98
EC	1	2	7	90
WC	1	1	8	90
NE	4	2	2	92
NW	0	0	2	98

Flax	% Standing	% in swath	% ready to straight combine	% combined
SE	47	7	17	29
SE	63	2	23	12
EC	59	19	13	9
WC	72	12	14	2
NE	60	24	12	4
NW	80	13	0	7

Canola	% Standing	% in swath	% ready to straight combine	% combined
SE	2	24	1	73
SE	1	12	3	84
EC	0	31	1	68
WC	2	33	6	59
NE	1	31	1	67
NW	0	41	1	58

Mustard	% Standing	% in swath	% ready to straight combine	% combined
SE	14	15	5	66
SE	8	0	7	85
EC	10	17	12	61
WC	32	25	8	35
NE	N/A	N/A	N/A	N/A
NW	N/A	N/A	N/A	N/A

Chickpea	% Standing	% in swath	% ready to straight combine	% combined
SE	56	9	9	26
SW*	61	1	19	19
EC	N/A	N/A	N/A	N/A
WC	93	3	2	2
NE	N/A	N/A	N/A	N/A
NW	N/A	N/A	N/A	N/A
*rated as 'other'- SE four per cent,				

Crop Districts and Rural Municipalities in Saskatchewan



Weekly Rainfall

for the week ending October 4, 2010



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2010 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N

Projection: UTM Zone 13, Datum: NAD83

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
Spline interpolation (tension = 50)

Prepared by: Geomatics Services Date: October 6, 2010

Weekly Rainfall

for the week ending October 4, 2010



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2010 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
Spline interpolation (tension = 50)

Prepared by: Geomatics Services Date: October 6, 2010

Weekly Rainfall Summary

(in millimeters) 1 inch = 25 mm for the period to Sept 28 to Oct 4, 2010

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
1A	1	Argyle	N/A	462.0
	2	Mount Pleasant	N/A	396
	3	Enniskillen	NIL	450
	33 A	Moose Creek	N/A	249
	33 B	Moose Creek	N/A	385
	34	Browning	N/A	443
	61	Antler	N/A	553
	63	Moose Mountain	N/A	477
	64	Brock	NIL	519
	65	Tecumseh	NIL	486
1B	91	Maryfield	NIL	464
	92	Walpole	NIL	412
	93	Wawken	NIL	536
	95	Golden West	NIL	494
	122	Martin	N/A	468
	123 A	Silverwood	NIL	382
	123 B	Silverwood	N/A	N/A
	124	Kingsley	NIL	410
	125	Chester	N/A	492
	151 A	Rocanville	NIL	543
	151 B	Rocanville	NIL	547
	153	Willowdale	NIL	540
	154	Elcapo	N/A	517
	155	Wolseley	NIL	747
2A	66	Griffin	N/A	628
	67	Weyburn	N/A	483
	68	Brokenshell	NIL	429
	69	Norton	N/A	487
	96	Fillmore	NIL	454
	97	Wellington	NIL	402
2B	127 A	Francis	NIL	465
	127 B	Francis	NIL	340
	129	Bratt's Lake	0.5	411
	156 A	Indian Head	NIL	589
	156 B	Indian Head	NIL	532
	157	South Qu'appelle	N/A	NIL
	160	Perse	N/A	431
	161	Moose Jaw	N/A	445
	191	Marquis	NIL	488
2ASE	38 A	Laurier	NIL	468
	38 B	Laurier	NIL	429
	39 A	The Gap	NIL	385
	39 B	The Gap	NIL	563
3ASW	10	Happy Valley	NIL	450
	11	Hart Butte	N/A	NIL
	12	Poplar Valley	NIL	342
	40	Bengough	NIL	414
	42	Willow Bunch	NIL	487
	43	Old Post	NIL	388
	44	Waverley	NIL	450
	70	Key West	N/A	392
	71 A	Excel	N/A	420
	71 B	Excel	N/A	371
	73 A	Stonehenge	N/A	405
	73 B	Stonehenge	N/A	494
	74	Wood River	NIL	432
3AN	101	Terrell	NIL	484
	102	Lake Johnston	N/A	392
	103	Sutton	NIL	426
	134	Shamrock	N/A	535
	164	Chaplin	N/A	452
	193	Eyebrow	NIL	457
	194	Enfield	N/A	487
3BS	17	Val Marie	NIL	459
	45	Maple Creek	N/A	401
	75 A	Pinto Creek	NIL	460
	75 B	Pinto Creek	NIL	430
	76 A	Auvergne	NIL	394
	76 B	Auvergne	NIL	376
	77	Wise Creek	2	353
	78 A	Grassy Creek	NIL	443
	78 B	Grassy Creek	2	420
	78 C	Grassy Creek	NIL	441
	105	Glenban	NIL	438
	106	Whiska Creek	NIL	381
	107	Lac Pelletier	N/A	375
	108	Bone Creek	NIL	441
3BN	138	Webb	2	471
	165	Morse	N/A	NIL
	166	Excelsior	1	580
	167	Sask. Landing	1.6	515
	168	Riverside	2	519
	226	Victory	N/A	482
	228	Lacadena	NIL	486
	256	Coteau	N/A	NIL
	257	Monet	NIL	463

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
4A	49	White Valley	NIL	397
	49 A	White Valley	N/A	334
	51	Reno	0.8	399
	79	Arlington	NIL	471
	109	Carmichael	NIL	642
	110	Piapot	1	474
	111	Maple Creek	N/A	484
4B	139	Gull Lake	2	564
	141	Big Stick	2	474
	142	Enterprise	2	543
	189	Pittville	NIL	450
	171	Fox Valley	2	431
	229	Mry Creek	1	559
	231	Happyland	NIL	435
5A	181	Langenberg	NIL	471
	183	Fertile Belt	NIL	533
	185	Mcleod	NIL	552
	186	Abernethy	NIL	471
	211	Churchbridge	NIL	486
	213	Saltcoats	NIL	556
	216	Tullymet	N/A	464
	241	Calder	N/A	474
	243	Wallace	N/A	430
	245 A	Garry	NIL	592
	245 B	Garry	NIL	642
	246	Ituna Bon Accord	NIL	494
	247	Kelross	NIL	603
	248	Touchwood	N/A	432
5B	271	Cote	NIL	460
	275	Insinger	N/A	NIL
	276	Foam Lake	NIL	741
	277	Emerald	N/A	741
	278	Kutawa	N/A	NIL
	306	Invermay	NIL	556
	307	Elfros	NIL	554
	308	Big Quill	NIL	592
	333	Clayton	1	561
	335	Hazel Dell	NIL	547
	336	Seaman	NIL	703
	337	Lakeview	N/A	593
	339	Lakeside	NIL	618
	366	Kelvington	NIL	519
6A	190 A	Dufferin	NIL	354
	190 B	Dufferin	NIL	461
	190 C	Dufferin	NIL	410
	190 D	Dufferin	N/A	402
	219 A	Longlaketon	NIL	474
	219 B	Longlaketon	N/A	548
	220	Mckillop	N/A	449
	221	Sarnia	NIL	511
	222	Creek	NIL	528
	251	Big Arm	NIL	537
	252	Arm River	NIL	436
	279	Mount Hope	N/A	567
	280	Wreford	N/A	509
	282	McCraney	NIL	522
	309	Prairie Rose	NIL	618
	313	Lost River	N/A	461
	339	Leroy	NIL	629
	340	Wolverine	NIL	619
	341	Viscount	N/A	576
	343	Blucher	NIL	576
6B	253	Willner	N/A	368
	283	Rosedale	NIL	583
	284	Rudy	NIL	582
	285	Fertile Valley	NIL	555
	288	Milden	NIL	567
	314	Dundurn	NIL	583
	344	Corman Park	NIL	577
	346	Perdue	2	611
	376 A	Eagle Creek	N/A	720
	376 B	Eagle Creek	NIL	570
7A	260	Newcombe	TR	464
	260 B	Newcombe	N/A	347
	287	St. Andrews	NIL	417
	288	Pleasant Valley	NIL	432
	290 A	Kinderstay	N/A	403
	290 B	Kinderstay	N/A	390
	292	Milton	N/A	339
	317 A	Marriott	NIL	556
	317 B	Marriott	NIL	618
	318 A	Mountain View	N/A	537
	318 B	Mountain View	NIL	561
	320	Oakdale	N/A	380
	321	Prairiedale	NIL	411

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
7B	347 A	Biggar	N/A	472
	347 B	Biggar	N/A	534
	350 A	Mariposa	NIL	369
	350 B	Mariposa	NIL	429
	351	Progress	NIL	450
	352	Heart's Hill	1	501
	377	Glenside	NIL	580
	378 A	Rosemount	NIL	394
	378 B	Rosemount	NIL	492
	379	Retlod	NIL	444
	380	Tramping Lake	NIL	396
	381	Grass Lake	N/A	544
	382	Eye Hill	2	411
	409	Buffalo	1	568
	410	Round Valley	NIL	472
	411	Senlac	NIL	462
8A	396	Porcupine	N/A	571
	397	Barrier Valley	0.3	593
	428	Star City	NIL	520
	456	Arborfield	4	500
	457	Connaught	NIL	680
	458	Willow Creek	NIL	554
	486	Moose Range	7	542
8B	369	St. Peter	NIL	596
	370	Humboldt	NIL	672
	371	Bayne	NIL	610
	372	Grant	NIL	572
	402	Fish Creek	NIL	514
	429 A	Flett's Springs	NIL	400
	429 B	Flett's Springs	NIL	545
	430	Invergordon	N/A	43
	459	Kinistino	NIL	534
9AE	481	Prince Albert	NIL	542
	488	Torch River	NIL	532
	520	Paddockwood	N/A	67
9AW	406	Mayfield	NIL	423
	435	Redberry	NIL	589
	436	Douglas	NIL	328
	483	Duck Lake	NIL	529
	484	Leask	NIL	547
	487	Round Hill	N/A	NIL
	494	Canwood	N/A	580
	496	Spiritwood	15	589
	497	Medstead	N/A	411
9B	438	Battle River	N/A	456
	440	Hillsdale	0.5	391
	442	Manitou Lake	2.6	380
	458 A	Parkdale	NIL	425
	458 B	Parkdale	N/A	361
	459	Marron	NIL	357
	501 A	Frenchman Butte	NIL	409
	501 B	Frenchman Butte	NIL	343
	501 C	Frenchman Butte	2	494
	502	Britannia	4	490
	561	Loon Lake	3	429
	588 A	Meadow Lake	NIL	519
	588 B	Meadow Lake	N/A	482
	588 C	Meadow Lake	5	496
	589 D	Meadow Lake	N/A	478
	622	Beaver River	N/A	413

Municipality No: A, B, C, and D - more than one reporter

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R. M.

Cumulative Rainfall

From: April 1, 2010
To: October 4, 2010



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2010 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
Spline interpolation (tension = 50)

Prepared by: Geomatics Services Date: October 6, 2010

Cumulative Rainfall

From: April 1, 2010

To: October 4, 2010



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2010 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
Spline interpolation (tension = 50)

Prepared by: Geomatics Services Date: October 6, 2010

Cumulative Rainfall

From: April 1, 2010
To: October 4, 2010



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

©2010 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
Spline interpolation (tension = 50)

Prepared by: Geomatics Services Date: October 6, 2010

Cumulative Rainfall

From: April 1, 2010

To: October 4, 2010



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2010 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
Spline interpolation (tension = 50)

Prepared by: Geomatics Services Date: October 6, 2010